


LPF-400

Insertion Loss and Rejection

Span : 600MHz

►1: Transmission /M Log Mag 10.0 dB/ Ref 0.00 dB

►2: Off




1: Mkr (MHz)	dB	2: Mkr (MHz)	dB
1:	5.0000	-0.020	
2:	350.0000	-0.522	
3>	400.0000	-2.655	
4:	430.0000	-56.441	

LPF-400

Insertion Loss, Return Loss and Rejection

Span : 600MHz

▶1: Transmission /M Log Mag 10.0 dB/ Ref 0.00 dB
 ▷2: Memory Log Mag 10.0 dB/ Ref 0.00 dB C




1: Mkr (MHz) dB		2: Mkr (MHz) dB			
1:	5.0000	-0.009	1: 5.0000	-55.663	
2:	350.0000	-0.541	2:	350.0000	-25.465
3:	400.0000	-2.671	3:	400.0000	-19.683
4:	430.0000	-56.492			

LPF-400

Rejection
Span : 1000MHz

▶1: Transmission /M Log Mag 10.0 dB/ Ref 0.00 dB
 ▶2: Off



1: Mkr (MHz)	dB	2: Mkr (MHz)	dB
1: 500.0000	-59.852		
2: 750.0000	-69.800		
3: 860.0000	-67.454		
4: 1000.0000	-69.034		